

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis Issue date: 20/10/2021 Revision date: 20/10/2021 Supersedes version of: 12/04/2017 Version: 2.6

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Article
Trade name DX-Cartridge
Product code BU Direct Fastening

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only

Use of the substance/mixture CARTRIDGES FOR TOOLS, BLANK

1.2.2. Uses advised againstNo additional information available

1.3. Details of the supplier of product safety information sheet

Supplier

Hilti (Israel) Ltd. Hilti Entwicklungsgesellschaft mbH

6 Ravnitsky St. Ind. Zone Sgula Hiltistrasse 6

P.O. Box 2650 86916 Kaufering - Deutschland

49125 Petach Tikva - Israel T +49 8191 906310 - F +49 8191 90176310

T +972 3 930 4499 - F +972 3 930 2095 <u>df-hse@hilti.com</u>

info@hilti.co.il

1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

+972 3 930 4499

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Explosives, Division 1.4 H204

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS01

Signal word (CLP) Warning

Hazard statements (CLP) H204 - Fire or projection hazard.

Precautionary statements (CLP) P210 - Keep away from heat, hot surfaces, open flames, sparks. — No smoking.

P250 - Do not subject to shock, friction, grinding.

P280 - Wear eye protection.

P372 - Explosion risk in case of fire.

P370+P380+P375 - In case of fire: Evacuate area. Fight fire remotely due to the risk of

Department issuing data specification sheet



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

explosion.

P401 - Store in accordance with local regulations on explosives.

Extra phrases Category of the pyrotechnic article: other pyrotechnic articles Cat. P1

(BAM EC-Type-Examination Certificate No. 0589.PYR.3800/12 or 0589.PYR.3804/12

respectively).

2.3. Other hazards

Other hazards which do not result in classification

This article contains hazardous substances or preparations not intended to be released under normal or reasonably foreseeable conditions of use. The dismantling of the article is prohibited!. Keep away from ignition sources (including static discharges).

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
g ·
stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
cellulose nitrate(9004-70-0)	The substance is not included in the list established in accordance with Article 59(1) of
	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
glycerol trinitrate(55-63-0)	The substance is not included in the list established in accordance with Article 59(1) of
	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Component	
lead styphnate(15245-44-0)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
barium nitrate(10022-31-8)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
copper(7440-50-8)	ED: not yet assessed
zinc(7440-66-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
diphenylamine(122-39-4)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
tetrazene(109-27-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

max. net explosives weight each cartridge in mg:

Caliber 6.8/11 (cal .27 short) white: 130; brown: 140; green: 160; yellow: 180; red: 230;

titanium: 230; black: 260

Caliber 6.8/18 (cal .27 long) green: 190; yellow: 220; blue: 300; red: 330; black: 410

Caliber 6.3/10 (cal. 25) green 120; yellow: 190; red: 230; black: 250

Caliber 5.5/16 (cal .22) grey: 105; brown: 120; green: 175; yellow: 210; red: 270

Within the cartridges the explosive ingredients (gun powder and priming composition) are hermetically separated from the environment. They will be only opened with effort and under destruction of the article.

Propellant powder: glycerol trinitrate containing nitrocellulose powder

Mass per cartridge: essentially dependent on the required power (100-400 mg)

Priming composition: SINOXID (initiating explosive) Mass per cartridge: 22-33 mg in the

mean.

Exposed propellant powder outside a cartridge is harmful if swallowed and highly

flammable; without tamping no explosion risk.

Packed safety cartridges don't represent a significant risk.

In case of reaction no dangerous fragments or projectiles will be formed.

Mechanical or thermal attempts to expose the primer composition lead to an immediate reaction of the dangerous ingredients.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
cellulose nitrate	CAS-No. 9004-70-0	5 - 21	Expl. 1.1, H201



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
glycerol trinitrate	CAS-No. 55-63-0	2 - 10	Unst. Expl., H200
substance with a Community workplace exposure	EC-No. 200-240-8		Acute Tox. 2 (Oral), H300
limit	EC Index-No. 603-034-00-X		Acute Tox. 1 (Dermal), H310
			Acute Tox. 2 (Inhalation), H330
			STOT RE 2, H373
			Aquatic Chronic 2, H411
lead styphnate	CAS-No. 15245-44-0	0.1 - 3	Unst. Expl., H200
substance listed as REACH Candidate	EC-No. 239-290-0		Acute Tox. 4 (Oral), H302
	EC Index-No. 609-019-00-4		Acute Tox. 4 (Inhalation), H332
	REACH-no 01-2119543737-		Repr. 1A, H360Df
	30		STOT RE 2, H373
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
barium nitrate	CAS-No. 10022-31-8	0.1 - 3	Ox. Sol. 2, H272
substance with a Community workplace exposure	EC-No. 233-020-5		Acute Tox. 3 (Oral), H301
limit	EC Index-No. 056-002-00-7		Acute Tox. 4 (Inhalation), H332
			Eye Irrit. 2, H319
copper	CAS-No. 7440-50-8	0 – 2	Aquatic Acute 1, H400
	EC-No. 231-159-6		Aquatic Chronic 3, H412
zinc	CAS-No. 7440-66-6	0 – 2	Aquatic Acute 1, H400
	EC-No. 231-175-3		Aquatic Chronic 1, H410
	EC Index-No. 030-001-01-9		
diphenylamine	CAS-No. 122-39-4	0.1 - 1	Acute Tox. 3 (Oral), H301
	EC-No. 204-539-4		Acute Tox. 3 (Dermal), H311
	EC Index-No. 612-026-00-5		Acute Tox. 3 (Inhalation), H331
			Eye Irrit. 2, H319
			STOT RE 2, H373
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
tetrazene	CAS-No. 109-27-3	0 – 1	Unst. Expl., H200
			Eye Irrit. 2, H319
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4 First aid measures

4.1. Description of first aid measures

First-aid measures general In all cases of doubt, or when symptoms persist, seek medical attention. First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

SECTION 5 Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Dry powder. Water spray.
Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Carbon monoxide. Carbon dioxide (CO2). Nitrous gasses.

5.3. Advice for firefighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Pick up loose cartridges only by hand.

Exposed ingredients must be swept up carefully and phlegmatized in a water container, labelled according the regulations, wipe down with water the contamined area. Store away

from other materials.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Hazardous waste due to potential risk of explosion.

Precautions for safe handling Do not subject to grinding, shock, friction. Take precautionary measures against static

discharge. Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight, Heat sources. Store in a dry place.

Incompatible products Strong bases. Strong acids.

Storage temperature 5 – 25 °C

Information on mixed storage Keep away from : Ignition sources. Do not store with: Store according to local legislation.

Storage area Store away from heat.

20/10/2021 (Version: 2.6) IL - en 5/15



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

7.3. Specific end use(s)

No additional information available

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

DX-Cartridge			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	0.095 mg/m³		
IOEL TWA [ppm]	0.01 ppm		
IOEL STEL	0.19 mg/m³		
IOEL STEL [ppm]	0.02 ppm		
Notes	Skin		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164		
glycerol trinitrate (55-63-0)	glycerol trinitrate (55-63-0)		
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	0.095 mg/m³		
IOEL TWA [ppm]	0.01 ppm		
IOEL STEL	0.19 mg/m³		
IOEL STEL [ppm]	0.02 ppm		
barium nitrate (10022-31-8)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	0.5 mg/m³ ((Ba))		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment

When using cartridge operated tools, sufficient ear protection must be worn.

Personal protective equipment symbol(s)





8.2.2.1. Eye and face protection

Eye protection

Safety glasses



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

8.2.2.2. Skin protection

Skin and body protection

When using cartridge operated tools, sufficient ear protection must be worn.

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information

Do not eat, drink or smoke during use.

No additional information available

Particle specific surface area

Particle dustiness

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Colour According to product specification.

Odour Not available
Odour threshold Not available
Melting point Not available
Freezing point Not available
Boiling point Not available
Flammability Not available

Explosive properties Fire or projection hazard.

Explosive limits Not applicable Lower explosive limit (LEL) Not applicable Upper explosive limit (UEL) Not applicable Flash point Not applicable Auto-ignition temperature Not applicable Decomposition temperature Not available рΗ Not available pH solution Not available Viscosity, kinematic Not applicable Solubility Not available Not available Partition coefficient n-octanol/water (Log Kow) Vapour pressure Not available Vapour pressure at 50 °C Not available Density Not available Relative density Not available Relative vapour density at 20 °C Not applicable Particle size Not available Particle size distribution Not available Not available Particle shape Particle aspect ratio Not available Particle aggregation state Not available Particle agglomeration state Not available

Not available

Not available



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Additional information Not applicable. Article

SECTION 10 Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides. Metal oxides. Thermal decomposition can lead to the release of irritating gases and vapours.

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

685 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 14 day(s))
685 mg/kg
> 9560 mg/kg bodyweight (Equivalent or similar to OECD 402, Rat, Male / female,
Experimental value, Dermal)
5 mg/kg bodyweight
5 mg/kg bodyweight
100 ppmv/4h
0.5 mg/l/4h
0.05 mg/l/4h
500 mg/kg bodyweight
4500 ppmv/4h
11 mg/l/4h
1.5 mg/l/4h
> 800 mg/kg bodyweight (Rat, Male, Experimental value, Oral)
100 mg/kg bodyweight
300 mg/kg bodyweight
700 ppmv/4h
3 mg/l/4h
0.5 mg/l/4h



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	barium nitrate (10022-31-8)	
LD50 oral LD50 oral LD50 oral 355 mg/kg > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 1.1 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) ATE CLP (oral) 50 mg/kg bodyweight ATE CLP (vagases) 4500 ppm/4h ATE CLP (dust.mist) 11.5 mg/l/4h ATE CLP (dust.mist) 11.5 mg/l/4h ATE CLP (dust.mist) 1.5 mg/l/4h ATE CLP (dust.mist) 1.5 mg/l/4h ATE CLP (dust.mist) 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Not classified Additional information Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Not classif	LD50 oral rat	50 – 300 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class
Skin corrosion/irritation Not classified Seprimental value, Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 50 mg/kg bodyweight (DECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) ATE CLP (gases) 4500 ppm/4h ATE CLP (gases) 4500 ppm/4h ATE CLP (dust.mist) 1.5 mg/l/4h ATE CLP (dust.mist) 1.5 mg/l/4h ATE CLP (dust.mist) 2.000 mg/kg bodyweight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Not classified Not c		Method, Rat, Female, Experimental value, Oral, 14 day(s))
Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat	LD50 oral	355 mg/kg
Stincerrosion/irritation	LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,
value, Inhalation (aerosol), 14 day(s)) ATE CLP (gases) 4500 pm/4h ATE CLP (yapours) 11 mg/l/4h ATE CLP (dust,mist) 1.5 mg/l/4h Tinc (T440-66-6) LD50 oral rat 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Not classified Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Not classified Madditional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Not classified Madditional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Not classified Madditional information Based on available data, the classification criteria are not met Madditional information Based on available data, the classification criteria are not met Not classified Madditional information Based on available data, the classification criteria are not met Not classified Madditional information Based on available data, the classification criteria are not met Not classified Madditional information Based on available data, the classification criteria are not met Not classified Madditional information Based on available data, the classification criteria are not met Not classified Madditional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Based on available data, the classification criteria are not met Madditional information Based on available data, the classification criteria are not met Madditional information Based on available data, the classification criteria are not met Madditional information Based on available data, the classification criteria are not met Madditional information Based on available data, the classification criteria are not met Madditional information Based on available data, the class		Experimental value, Dermal, 14 day(s))
ATE CLP (oral) ATE CLP (gases) 4500 ppmv/4h ATE CLP (dust_mist) 1.5 mgl/4h ATE CLP (dust_mist) 1.5 mgl/4h 2inc (7440-66-6) LD50 oral rat 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Not classified Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	LC50 Inhalation - Rat	> 1.1 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental
ATE CLP (gases) ATE CLP (vapours) 11 mg/l/4h ATE CLP (dust,mist) 21.5 mg/l/4h 21.6 TQ (dust,mist) 22.000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Mot classified Additional information Based on available data, the classification criteria are not met Mycrol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.		value, Inhalation (aerosol), 14 day(s))
ATE CLP (vapours) ATE CLP (dust.mist) 2inc (7440-66-6) LD50 oral rat 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Mot classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-ingle exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	ATE CLP (oral)	50 mg/kg bodyweight
ATE CLP (dust,mist) zinc (7440-66-6) LD50 oral rat > 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Not classified Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Implication organical exposure May cause damage to organs through prolonged or repeated exposure. Implication organical exposure May cause damage to organs through prolonged or repeated exposure. Implication organical exposure May cause damage to organs through prolonged or repeated exposure. Implication organical exposure May cause damage to organs through prolonged or repeated exposure.	ATE CLP (gases)	4500 ppmv/4h
Zinc (7440-66-6) LD50 oral rat Substitution Social Section Substitution Section Sect	ATE CLP (vapours)	11 mg/l/4h
Skin corrosion/irritation	ATE CLP (dust,mist)	1.5 mg/l/4h
Experimental value, Oral, 14 day(s)) Skin corrosion/irritation Not classified Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Mot classified May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	zinc (7440-66-6)	
Skin corrosion/irritation Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female,
Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. In the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.		Experimental value, Oral, 14 day(s))
Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure. In May cause damage to organs through prolonged or repeated exposure.	Skin corrosion/irritation	Not classified
Additional information Respiratory or skin sensitisation Not classified Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-43-44) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Image: Additional information criteria are not met May cause damage to organs through prolonged or repeated exposure. Image: Additional information criteria are not met May cause damage to organs through prolonged or repeated exposure. Image: Additional information criteria are not met May cause damage to organs through prolonged or repeated exposure. Image: Additional information criteria are not met May cause damage to organs through prolonged or repeated exposure.	Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	Serious eye damage/irritation	Not classified
Additional information Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	Additional information	Based on available data, the classification criteria are not met
Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged or repeated exposure. Image: Additional information organs through prolonged organs through	Respiratory or skin sensitisation	Not classified
Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Not classified	Additional information	Based on available data, the classification criteria are not met
Carcinogenicity Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. lead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Not classified	Germ cell mutagenicity	Not classified
Additional information Reproductive toxicity Additional information Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met Glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Glycerol trinitrate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Glypenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified	Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. lead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Not classified	Carcinogenicity	
Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Not classified Additional information Based on available data, the classification criteria are not met Mot classified Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Based on available data, the classification criteria are not met May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Not classified	Additional information	Based on available data, the classification criteria are not met
STOT-single exposure Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Lead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Aspiration hazard	Reproductive toxicity	Not classified
Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Iead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Not classified	Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure Additional information Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. lead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified	STOT-single exposure	Not classified
Additional information Based on available data, the classification criteria are not met glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. lead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified	Additional information	Based on available data, the classification criteria are not met
glycerol trinitrate (55-63-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. lead styphnate (15245-44-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified	STOT-repeated exposure	Not classified
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Lead styphnate (15245-44-0)	Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified		
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
diphenylamine (122-39-4) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified		
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard Not classified		
·	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Additional information Based on available data, the classification criteria are not met	Aspiration hazard	Not classified
	Additional information	Based on available data, the classification criteria are not met

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

No additional information available,No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released.

The dismantling of the article is prohibited.

20/10/2021 (Version: 2.6) IL - en 9/15



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

SECTION 12 Ecological information

I2.1. Toxicity	
Ecology - general	No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.
Hazardous to the aquatic environment, short-term acute)	Not classified
Hazardous to the aquatic environment, long-term chronic)	Not classified
glycerol trinitrate (55-63-0)	
LC50 - Fish [1]	1.9 mg/l (ASTM E729-80, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal)
NOEC chronic fish	0.03 mg/l
lead styphnate (15245-44-0)	
EC50 - Crustacea [1]	7 mg/l
diphenylamine (122-39-4)	
EC50 - Crustacea [1]	2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	2.17 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP)
NOEC chronic algae	0.0273 mg/l
barium nitrate (10022-31-8)	
EC50 - Crustacea [1]	9018 mg/l
EC50 72h - Algae [1]	> 45.6 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
tetrazene (109-27-3)	
EC50 - Crustacea [1]	0.14 mg/l
copper (7440-50-8)	
LC50 - Fish [1]	200 μg/l (96 h, Salmo gairdneri, Flow-through system, Fresh water, Weight of evidence, Lethal)
EC50 - Crustacea [1]	109 – 798 μg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence, Locomotor effect)
EC50 72h - Algae [1]	230 µg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Growth rate)
zinc (7440-66-6)	
LC50 - Fish [1]	0.169 mg/l (Other, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Readacross, Zinc ion)
EC50 - Crustacea [1]	416 µg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value)
	, , , , , , , , , , , , , , , , , , , ,

12.2. Persistence and degradability

DX-Cartridge		
Persistence and degradability	Not established.	
glycerol trinitrate (55-63-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	53.6 g O ₂ /g substance	
diphenylamine (122-39-4)		
Persistence and degradability	Not readily biodegradable in water.	
ThOD	2.39 g O ₂ /g substance	
barium nitrate (10022-31-8)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

copper (7440-50-8)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
zinc (7440-66-6)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

12.3. Bioaccumulative potential

DX-Cartridge			
Bioaccumulative potential	Not established.		
glycerol trinitrate (55-63-0)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
diphenylamine (122-39-4)			
BCF - Fish [1]	51 – 253 (Cyprinus carpio, Literature study, Test duration: 8 weeks)		
Partition coefficient n-octanol/water (Log Pow)	3.71 – 3.84 (Weight of evidence approach, OECD 107: Partition Coefficient (n-		
	octanol/water): Shake Flask Method, 20.2 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
barium nitrate (10022-31-8)			
Bioaccumulative potential	Not bioaccumulative.		
copper (7440-50-8)			
Bioaccumulative potential	Bioaccumulation: not applicable.		
zinc (7440-66-6)			
BCF - Fish [1]	0.002 (40 day(s), Danio rerio, Semi-static system, Fresh water, Read-across)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		

12.4. Mobility in soil

glycerol trinitrate (55-63-0)	
Ecology - soil	Low potential for adsorption in soil.
diphenylamine (122-39-4)	
Surface tension	71.8 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Koc)	2.818 – 2.917 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil. May be harmful to plant growth, blooming and fruit
	formation.
barium nitrate (10022-31-8)	
Surface tension	No data available in the literature
Ecology - soil	Adsorption to soil is possible.
copper (7440-50-8)	
Ecology - soil	Adsorbs into the soil.
zinc (7440-66-6)	
Surface tension	No data available in the literature
Ecology - soil	Adsorbs into the soil.

12.5. Results of PBT and vPvB assessment

DX-Cartridge		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
Component		
cellulose nitrate (9004-70-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
glycerol trinitrate (55-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
lead styphnate (15245-44-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Component	
barium nitrate (10022-31-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
copper (7440-50-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
zinc (7440-66-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
diphenylamine (122-39-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
tetrazene (109-27-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

Avoid release to the environment.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Refer to

manufacturer/supplier for information on recovery/recycling.

Additional information

Cartridge strips with unused cartridges: Hazardous waste due to risk of explosion. European waste catalogue: 16 04 01* - waste ammunition. If possible use up the cartridges or store them for your next project.

fierii ioi your next pro

If not possible to use up the cartridges - The strip is mixed municipal waste and the cartridge itself is "waste ammunition" and has to be disposed of by an authorized/certified

company.

If cartridges are used up: European waste catalogue: 20 03 01 - mixed municipal waste . The product (cartridges and strip) can be disposed of as household or factory waste.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
UN 0323	UN 0323	UN 0323	UN 0323
14.2. UN proper shipping name			
CARTRIDGES, POWER DEVICE	CARTRIDGES, POWER DEVICE	Cartridges, power device	CARTRIDGES, POWER DEVICE
Transport document description			
UN 0323 CARTRIDGES, POWER DEVICE, 1.4S, (E)	UN 0323 CARTRIDGES, POWER DEVICE, 1.4S	UN 0323 Cartridges, power device, 1.4S	UN 0323 CARTRIDGES, POWER DEVICE, 1.4S
14.3. Transport hazard class(es)			
1.4\$	1.4S	1.4S	1.4S
1.4	1.4	1.4	1.4



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

ADR	IMDG	IATA	RID	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Dangerous for the environment: No Marine pollutant: No		Dangerous for the environment: No	Dangerous for the environment: No	
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 1.4S Special provisions (ADR) : 347 Limited quantities (ADR) : 0

Packing instructions (ADR) : P134, LP102
Mixed packing provisions (ADR) : MP23
Transport category (ADR) : 4
Tunnel restriction code (ADR) : E

Transport by sea

Special provisions (IMDG) : 347 Limited quantities (IMDG) : 0

Packing instructions (IMDG) : P134, LP102

 EmS-No. (Fire)
 : F-B

 EmS-No. (Spillage)
 : S-X

 Stowage category (IMDG)
 : 01

 Stowage and handling (IMDG)
 : SW1

 MFAG-No
 : 114

Air transport

PCA packing instructions (IATA) : 134
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 134
Special provisions (IATA) : A165

Rail transport

Special provisions (RID) : 347 Limited quantities (RID) : 0

Packing instructions (RID) : P134, LP102

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains one substance (s) from the list of candidate substances of REACH in a concentration> 0,1%: Lead styphnate (EC 239-290-0, CAS 15245-44-0)

Category of the pyrotechnic article: other pyrotechnic articles Cat. P1

(BAM EC-Type-Examination Certificate No. 0589.PYR.3800/12 or 0589.PYR.3804/12 respectively)

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Lead compounds (15245-44-0), Diphenylamine (122-39-4)



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16 Other information

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Indication of changes:

maloution of changes.			
Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION	Added	
	REGULATION (EU) 2020/878		
3.2	Product information	Modified	

lyms
European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
European Agreement concerning the International Carriage of Dangerous Goods by Road
Acute Toxicity Estimate
Bioconcentration factor
Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
Derived Minimal Effect level
Derived-No Effect Level
Median effective concentration
International Agency for Research on Cancer
International Air Transport Association
International Maritime Dangerous Goods
Median lethal concentration
Median lethal dose
Lowest Observed Adverse Effect Level
No-Observed Adverse Effect Concentration
No-Observed Adverse Effect Level
No-Observed Effect Concentration
Organisation for Economic Co-operation and Development
Persistent Bioaccumulative Toxic
Predicted No-Effect Concentration
Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
Regulations concerning the International Carriage of Dangerous Goods by Rail
Safety Data Sheet
Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:		
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Full text of H- and EUH-s	statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Expl. 1.1	Explosives, Division 1.1	
Expl. 1.4	Explosives, Division 1.4	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
Repr. 1A	Reproductive toxicity, Category 1A	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
Unst. Expl.	Explosives, Unstable explosives	
H200	Unstable explosives.	
H201	Explosive; mass explosion hazard.	
H204	Fire or projection hazard.	
H272	May intensify fire; oxidiser.	
H300	Fatal if swallowed.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H360Df	May damage the unborn child. Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Expl. 1.4	H204	Expert judgment

SDS_EU_Hilti