

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13/06/2024 Revision date: 13/06/2024 Supersedes version of: 30/10/2023

Version: 4.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Name Product code Vaporizer Mixture Cleaning Spray 150 ml BU Direct Fastening Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses Industrial/Professional use spec

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Hilti (Israel) Ltd. 6 Ravnitsky St. Ind. Zone Sgula P.O. Box 2650 IL 49125 Petach Tikva Israel T +972 3 930 4499, F +972 3 930 2095 info@hilti.co.il Department issuing data specification sheet Hilti AG Feldkircherstraße 100 FL 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-direct.fastening@hilti.com

1.4. Emergency telephone number

Emergency number

Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463

+972 3 930 4499

Country	Organisation/Company	Address	Emergency number	Comment
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2	2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS09
Signal word (CLP)	Danger
Contains	hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane; Acetone; 1- methoxypropan-2-ol
Hazard statements (CLP)	H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H315 - Causes skin irritation.
	H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P261 - Avoid breathing dust, fume, gas, mist, spray, vapours.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Extra phrases	For professional users only.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Acetone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1-methoxypropan-2-ol (107-98-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Carbon dioxide (124-38-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component		
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics,	The substance is not included in the list established in accordance with Article 59(1) of	
< 5% n-hexane	REACH for having endocrine disrupting properties, or is not identified as having endocrine	
	disrupting properties in accordance with the criteria set out in Commission Delegated	
	Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Acetone (67-64-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1-methoxypropan-2-ol (107-98-2)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Carbon dioxide (124-38-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	50 – 75	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Acetone	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330- 49	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
1-methoxypropan-2-ol	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	5 – 10	Flam. Liq. 3, H226 STOT SE 3, H336
Carbon dioxide (Propellant gas (Aerosol))	CAS-No.: 124-38-9 EC-No.: 204-696-9	5 – 10	Press. Gas (Liq.), H280

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	Take off immediately all contaminated clothing. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	Get immediate medical advice/attention.
4.2. Most important symptoms and effects, I	both acute and delaved
Symptoms/effects after inhalation	Shortness of breath.
Symptoms/effects after skin contact	Irritation.
Symptoms/effects after eye contact	Eye irritation.
4.3. Indication of any immediate medical atto	ention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
SECTION 5: Firefighting measures 5.1. Extinguishing media	
	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
5.1. Extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand. Do not use a heavy water stream.
5.1. Extinguishing media Suitable extinguishing media	Do not use a heavy water stream.
5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	Do not use a heavy water stream.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the substance 	Do not use a heavy water stream. Ince or mixture Extremely flammable aerosol.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the substa Fire hazard 	Do not use a heavy water stream. Ince or mixture Extremely flammable aerosol. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the substa Fire hazard Explosion hazard 	Do not use a heavy water stream. Ince or mixture Extremely flammable aerosol. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk burns and injuries.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the substa Fire hazard Explosion hazard 	Do not use a heavy water stream. Ince or mixture Extremely flammable aerosol. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk burns and injuries. Formation of toxic gases is possible during heating or in case of fire. Thermal
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the substa Fire hazard Explosion hazard Hazardous decomposition products in case of fire 	Do not use a heavy water stream. Ince or mixture Extremely flammable aerosol. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk burns and injuries. Formation of toxic gases is possible during heating or in case of fire. Thermal
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the substa Fire hazard Explosion hazard Hazardous decomposition products in case of fire 5.3. Advice for firefighters 	Do not use a heavy water stream. Ince or mixture Extremely flammable aerosol. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Formation of toxic gases is possible during heating or in case of fire. Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

6.1. Personal precautions, protective equipment and emergency procedures		
General measures	Evacuate area. No flames, no sparks. Eliminate all sources of ignition.	
6.1.1. For non-emergency personnel		
Emergency procedures	Ventilate spillage area. Avoid breathing spray, vapours. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. Breathing apparatus.	
Emergency procedures	Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Prevent entry to sewers and public waters.		
6.3. Methods and material for containment and cleaning up		

	5.1
Methods for cleaning up	Do not flush with water.
Other information	For further information refer to section 13. For further information refer to section 8:
	"Exposure controls/personal protection".

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautions for safe handling	Do not eat, drink or smoke when using this product. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and
Hygiene measures	other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	ny incompatibilities
Technical measures	Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
	Keep in fireproof place.
Incompatible materials	Heat sources. Direct sunlight.
Storage temperature	5 – 25 °C
Heat and ignition sources	Keep away from heat and direct sunlight.
Information on mixed storage	Do not store with DX powder cartridges.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Acetone (67-64-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetone	
IOEL TWA	1210 mg/m ³	
	500 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
1-methoxypropan-2-ol (107-98-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	1-Methoxypropanol-2	
IOEL TWA	375 mg/m ³	
	100 ppm	
IOEL STEL	568 mg/m ³	
	150 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Carbon dioxide (124-38-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Carbon dioxide	
IOEL TWA	9000 mg/m ³	
	5000 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	

8.1.2. Recommended monitoring procedures

No additional information available



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	773 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2035 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	699 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	608 mg/m ³	
Long-term - systemic effects, dermal	699 mg/kg bodyweight/day	
Acetone (67-64-1)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	2420 mg/m ³	
Long-term - systemic effects, dermal	186 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1210 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	62 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	200 mg/m ³	
Long-term - systemic effects, dermal	62 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	10.6 mg/l	
PNEC aqua (marine water)	1.06 mg/l	
PNEC aqua (intermittent, freshwater)	21 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	30.4 mg/kg dwt	
PNEC sediment (marine water)	3.04 mg/kg dwt	
PNEC (Soil)		
PNEC soil	29.5 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
1-methoxypropan-2-ol (107-98-2)		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	553.5 mg/m³	
Long-term - systemic effects, dermal	183 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	369 mg/m ³	
Long-term - local effects, inhalation	553.5 mg/m³	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-methoxypropan-2-ol (107-98-2)		
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	33	
Long-term - systemic effects, inhalation	43.9 mg/m ³	
Long-term - systemic effects, dermal	78	
PNEC (Water)	'	
PNEC aqua (freshwater)	10 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC aqua (intermittent, freshwater)	100 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	52.3 mg/kg dwt	
PNEC sediment (marine water)	5.2 mg/kg dwt	
PNEC (Soil)		
PNEC soil	4.59 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. EN 170

8.2.2.2. Skin protection

Hand protection:

In case of repeated or prolonged contact wear gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	,	No supplementary information available	EN ISO 374



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device Filter type Condition Standard			
Breathing apparatus with filter	A2/P3	If conc. in air > exposure limit	EN 143

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

No additional information available. No additional information available

ISECTION & Dh	veical and chamics	al proportios
	vsical and chemica	

9.1. Information on basic physical and chemical properties

9.1. Information on pasic physical and chem	lical properties
Physical state	Liquid
Colour	clear.
Appearance	Aerosol.
Odour	solvent-like.
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Extremely flammable aerosol.
Explosive properties	Product is not explosive. May form flammable/explosive vapour-air mixture.
Lower explosion limit	0.6 (<) vol %
Upper explosion limit	13 vol %
Flash point	< 21 °C
Auto-ignition temperature	> 200 °C
Decomposition temperature	Not available
рН	Not available
Viscosity, kinematic	Not available
Solubility	Not available
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	5500 hPa (20 °C)
Vapour pressure at 50°C	Not available
Density	0.7 g/cm ³
Relative density	Not available
Relative vapour density at 20°C	Not available
Particle characteristics	Not applicable
9.2 Other information	

9.2. Other information

9.2.1. Information with regard to physical hazard c	lasses
Explosion limits	
% of flammable ingredients	> 80 %
9.2.2. Other safety characteristics	
VOC content	747 g/l (99,5 %)



Cleaning Spray 150 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as det	fined in Regulation (EC) No 1272/2008	
Acute toxicity (oral)	Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (dermal)	Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (inhalation)	Not classified (Based on available data, the classification criteria are not met)	
hydrocarbons, C6-C7, n-alkanes, isoalkanes, c	yclics, < 5% n-hexane	
LD50 oral rat	> 5840 mg/kg bodyweight	
LD50 dermal rat	> 2920 mg/kg bodyweight	
LC50 Inhalation - Rat (Vapours)	> 25.2 mg/l/4h	
Acetone (67-64-1)		
LD50 oral rat	5800 mg/kg bodyweight	
LD50 oral	6667 mg/kg	
LD50 dermal rat	> 7400 mg/kg bodyweight	
LD50 dermal	20000 mg/kg	
LC50 Inhalation - Rat (Vapours)	76 mg/l/4h	
1-methoxypropan-2-ol (107-98-2)		
LD50 oral rat	4016 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)	
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure	May cause drowsiness or dizziness.	
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane		
STOT-single exposure	May cause drowsiness or dizziness.	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)			
STOT-single exposure	e May cause drowsiness or dizziness.		
1-methoxypropan-2-ol (107-98-2)	1-methoxypropan-2-ol (107-98-2)		
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard	Not classified (Based on available data, the classification criteria are not met)		
Cleaning Spray 150 ml			
Vaporizer	Aerosol		

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term acute)	Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term chronic)	Toxic to aquatic life with long lasting effects.
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyd	clics, < 5% n-hexane
LC50 - Fish [1]	11.4 mg/l (96 h, Oncorhynchus mykiss, (OECD 203 method))
EC50 - Crustacea [1]	3 mg/l (48 h, Daphnia magna, (OECD 202 method))
ErC50 algae	≥ 10 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))
NOEC (chronic)	0.17 (21 d, Daphnia magna, (OECD 211 method), Read-across)
NOEC chronic fish	2.045 mg/l (Quantitative structure-activity relationship (QSAR))
NOEC chronic crustacea	0.17 mg/l (21 d; Daphnia magna; (OECD 211 method))
NOEC chronic algae	3 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))
Acetone (67-64-1)	
LC50 - Fish [1]	5540 mg/l (96 h; Oncorhynchus mykiss)
EC50 - Crustacea [1]	8800 mg/l (48 h; Daphnia pulex)
NOEC chronic crustacea	2212 mg/l (28 d; Daphnia magna)
1-methoxypropan-2-ol (107-98-2)	
LC50 - Fish [1]	6812 mg/l (96 h; Leuciscus idus; DIN 38 412, part L15)
EC50 - Crustacea [1]	> 100 mg/l (48 h; Daphnia magna)
Carbon dioxide (124-38-9)	
LC50 - Fish [1]	35 mg/l (96 h; Salmo gairdneri; Literature data)
12.2. Persistence and degradability	
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyo	clics, < 5% n-hexane
Persistence and degradability	Readily biodegradable.

Biodegradation

98 % (28 d; (OECD 301F method))



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)			
Persistence and degradability	Readily biodegradable.		
Biodegradation	90.9 % (28 d; (OECD 301B method))		
1-methoxypropan-2-ol (107-98-2)			
Persistence and degradability	Readily biodegradable.		
Biodegradation	96 % (28 d; (OECD 301E method))		
Carbon dioxide (124-38-9)			
Persistence and degradability	Not applicable.		
12.3. Bioaccumulative potential			
Acetone (67-64-1)			
Bioconcentration factor (BCF REACH)	3 (calculated value)		
Bioaccumulative potential	Bioaccumulation unlikely.		
1-methoxypropan-2-ol (107-98-2)			
artition coefficient n-octanol/water (Log Kow) 0.37 (20 °C)			
Bioaccumulative potential	Bioaccumulation unlikely.		
Carbon dioxide (124-38-9)			
Partition coefficient n-octanol/water (Log Pow) 0.83 (Measured)			
12.4. Mobility in soil			
Acetone (67-64-1)			
Surface tension	23.3 mN/m (20 °C)		
1-methoxypropan-2-ol (107-98-2)			
Surface tension	70.7 mN/m (1 g/L; 20°C)		
12.5. Results of PBT and vPvB assessment			
Cleaning Spray 150 ml			
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII			
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
12.6 Endocrine disrupting properties			

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional waste regulation	Disposal must be done according to official regulations.	
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	Container under pressure. Do not drill or burn even after use.	
Additional information	Flammable vapours may accumulate in the container.	
European List of Waste (LoW, EC 2000/532)	15 01 04 - metallic packaging	
	20 01 13* - solvents	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

HP3 - "Flammable:"

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;

- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

- flammable gaseous waste: gaseous waste which is flammable in air at 20 $^\circ C$ and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

14.3. Transport hazard class(es) 2.1 2.1 2.1	ADR	IMDG	ΙΑΤΑ	RID
14.2. UN proper shipping name AEROSOLS AEROSOLS Aerosols, flammable Transport document description UN 1950 AEROSOLS, 2.1, (D) UN 1950 AEROSOLS, 2.1 UN 1950 Aerosols, flammable, 2.1 UN 1950 AEROSOLS, 2.1, (D) UN 1950 AEROSOLS, 2.1, (D) UN 1950 AEROSOLS, 2.1 UN 1950 Aerosols, flammable, 2.1 UN 1950 AErosol, 2.1 UN 1950 AEro	umber or ID number			
AEROSOLSAEROSOLSAerosols, flammableTransport document descriptionUN 1950 AEROSOLS, 2.1, (D)UN 1950 AEROSOLS, 2.1UN 1950 Aerosols, flammable, 2.1UN 195014.3. Transport hazard class(es)2.12.12.12.12.12.14.12.12.14.24.34.44.3. Transport hazard class(es)4.12.12.12.14.3. Transport hazard class(es)4.11.4. Packing group4.1Not applicableNot applicable14.5. Environmental hazardsDangerous for the environment: YesDangerous for the envi	UN 1950	UN 1950	UN 1950	UN 1950
Transport document description UN 1950 AEROSOLS, 2.1, (D) UN 1950 AEROSOLS, 2.1 UN 1950 Aerosols, flammable, 2.1 UN 1950 14.3. Transport hazard class(es) 2.1 2.1 2.1 0 <t< td=""><td>roper shipping name</td><td></td><td>· · ·</td><td></td></t<>	roper shipping name		· · ·	
UN 1950 AEROSOLS, 2.1, (D) UN 1950 AEROSOLS, 2.1 UN 1950 Aerosols, flammable, 2.1 UN 1950 Aerosols, flammable, 2.1 14.3. Transport hazard class(es) 2.1 2.1 2.1 Image: Constraint of the service of the environment: Yes Yes Dangerous for the environment: Dangerous for the environment: Yes Yes Yes Yes Yes	AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS
14.3. Transport hazard class(es) 2.1 2.1 2.1	document description			
2.1 2.1 2.1 Image: Constraint of the environment: Yes Image: Constraint of the environment: Yes Image: Constraint of the environment: Yes	AEROSOLS, 2.1, (D)	IN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1
Image: Constraint of the environment: Yes Dangerous for the environment: Yes	sport hazard class(es)			
Image: Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Image: Not applicable Not applicable Dangerous for the environment: Yes Dangerous for the environment: Yes Marine pollutant: Yes Image: Not applicable Dangerous for the environment: Yes Dangerous for the environment: Yes	2.1	2.1	2.1	2.1
Not applicable Not applicable Not applicable 14.5. Environmental hazards Dangerous for the environment: Dangerous for the environment: Dangerous for the environment: Yes Yes Yes Marine pollutant: Yes				
14.5. Environmental hazards Dangerous for the environment: Dangerous for the environment: Yes Yes Marine pollutant: Yes	ing group		· · ·	
Dangerous for the environment: Dangerous for the environment: Dangerous for the environment: Dangerous for the environment: Yes Yes Yes Yes Marine pollutant: Yes Yes	Not applicable	Not applicable	Not applicable	Not applicable
Yes Yes Yes Yes	ronmental hazards			
Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The		Yes	3	Dangerous for the environment Yes
hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.	-	• • • • •	•	5 kg). The environmentally
No supplementary information available	nentary information available			



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR)	11 E0 P207, LP200 PP87, RR6, L2 MP9 2 V14 CV9, CV12 S2 D
Transport by sea Special provisions (IMDG)	63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	SP277
Excepted quantities (IMDG)	EO
Packing instructions (IMDG)	P207, LP200
Special packing provisions (IMDG)	PP87, L2
EmS-No. (Fire)	F-D
EmS-No. (Spillage)	S-U
Stowage category (IMDG)	None
Stowage and handling (IMDG)	SW1, SW22
Segregation (IMDG)	SG69
MFAG-No	126
Air transport	
PCA Excepted quantities (IATA)	EO
PCA Limited quantities (IATA)	Y203
PCA limited quantity max net quantity (IATA)	30kgG
PCA packing instructions (IATA)	203
PCA max net quantity (IATA)	75kg
CAO packing instructions (IATA)	203
CAO max net quantity (IATA)	150kg
Special provisions (IATA)	A145, A167, A802
ERG code (IATA)	10L
Rail transport	
Classification code (RID)	5F
Special provisions (RID)	190, 327, 344, 625
Limited quantities (RID)	1L
Excepted quantities (RID)	EO
Packing instructions (RID)	P207, LP200
Special packing provisions (RID)	PP87, RR6, L2
Mixed packing provisions (RID)	MP9
Transport category (RID)	2
Special provisions for carriage – Packages (RID)	W14
Special provisions for carriage - Loading, unloading	CW9, CW12
and handling (RID)	
Colis express (express parcels) (RID)	CE2
Hazard identification number (RID)	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



Salety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Cleaning Spray 150 ml ; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane ; Acetone ; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Cleaning Spray 150 ml ; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane ; Acetone ; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Cleaning Spray 150 ml ; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Cleaning Spray 150 ml ; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane ; Acetone ; 1- methoxypropan-2-ol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

747 g/l (99,5 %)



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)		
	Lower-tier	Upper-tier	
P3b FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, not containing flammable gases Category 1 or 2 nor flammable liquids category 1	5000	50000	
E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500	

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors) ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.		Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

15.1.2. National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
3	Composition/information on ingredients	Modified	

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acron	yms:
EC50	Median effective concentration
ED	Endocrine disrupting properties
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration
LD50	Median lethal dose
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
N.O.S.	Not Otherwise Specified
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
TRGS	Technical Rules for Hazardous Substances
VOC	Volatile Organic Compounds
WGK	Water Hazard Class
vPvB	Very Persistent and Very Bioaccumulative
NOAEL	No-Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level

Data sources

European Chemicals Agency, http://echa.europa.eu/. manufacturer.

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Flam. Liq. 3	Flammable liquids, Category 3
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

SDS EU HILTI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.