

# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis Issue date: 11/11/2024 Revision date: 11/11/2024 Supersedes version of: 17/04/2024 Version: 7.22

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Article

Product name Li-Ion Batteries <100 Wh

Product code BU ET&A

Other means of identification Hilti B 7/1.5 Li-lon (01), Hilti B 7/2.0 Li-lon (01), Hilti B 7/2.5 Li-lon (01), Hilti B 12/2.6 Li-lon

(01), Hilti B 12/4.0 Li-lon (01), Hilti B 12-30 Li-lon (01), Hilti B 12-55 Li-lon (01), Hilti B 14/1.6 Li-lon (01), Hilti B 14/2.6 Li-lon (01), Hilti B 14/3.3 Li-lon (01), Hilti B 14/5.2 Li-lon (01), Hilti B 18/1.6 Li-lon (01), Hilti B 18/2.6 Li-lon (01), Hilti B 18/2.6 Li-lon (02), Hilti B 18/3.3 Li-lon (01), Hilti B 22/1.6 Li-lon (01), Hilti B 22/2.6 Li-lon (02), Hilti B 22/3.0 Li-lon (01), Hilti B 22/3.3 Li-lon (01), Hilti B 22/4.0 Li-lon (01), Hilti B 36/2.4 Li-lon (01), Hilti B 36/2.6 Li-lon (02), Hilti B 144/2.6 Li-lon (01), Hilti B 22-55 Li-lon

(01), Hilti B 22-85 Li-Ion (01), Hilti B 22-100 Li-Ion (01)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only

Use of the substance/mixture Rechargeable Lithium Ion battery for power tools

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of product safety information sheet

Supplier Deg

Hilti (Israel) Ltd.

6 Ravnitsky St. Ind. Zone Sgula

P.O. Box 2650

IL 49125 Petach Tikva

Israel

T +972 3 930 4499, F +972 3 930 2095

info@hilti.co.il

# Department issuing data specification sheet

Hilti AG

Feldkircherstraße 100 FL 9494 Schaan Liechtenstein T +423 234 2111

product.compliance-power.tools@hilti.com

### 1.4. Emergency telephone number

Emergency number Emergency CONTACT (24-Hour-Number):

GBK GmbH Global Regulatory Compliance

+49 (0)6132-84463

+972 3 930 4499

Country	Organisation/Company	Address	Emergency number	Comment
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Adverse physicochemical, human health and environmental effects

No additional information available



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

### 2.3. Other hazards

Other hazards which do not result in classification

For the battery chemical materials are stored in a hermetically sealed metal case, designed to withstand temperatures and pressures encountered during normal use. As a result, during normal use there is no physical danger of ignition or explosion and chemical danger of hazardous materials leakage.

It may cause heat generation or electrolyte leakage if battery terminals contact with other metals. Electrolyte is flammable. In case of electrolyte leakage move the battery from fire immediately.

However if exposed to a fire, added mechanical shocks, decomposed, added electric stress by miss-use, the gas release vent will be operated. The battery case will be breaked at the extreme, hazardous materials may be released.

Moreover, if heated strongly by a surrounding fire, acrid gas may be emitted.

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

#### 3.2. Mixtures

Comments

Lithium Ion rechercheable battery pack: Name/Type Energy content (Wh) B 7 / 1.5 Li-lon (01) 10,80 B 7 / 2.0 Li-lon (01) 14,40 B 7 / 2.5 Li-lon (01) 18,00 B 12 / 2.6 Li-lon (01) 28,10 B 12 / 4.0 Li-lon (01) 42.66 B 12-30 Li-lon (01) 27.00 / 28,10 B 12-55 Li-Ion (01) 54,00 B 14 / 1.6 Li-lon (01) 23.00 B 14 / 2.6 Li-lon (01) 36,00 B 14 / 3.3 Li-lon (01) 48,00 B 14 / 5.2 Li-lon (01) 73,40 B 18 / 1.6 Li-lon (01) 34.60 B 18 / 2.6 Li-lon (01) 56,20 B 18 / 2.6 Li-Ion (02) 56,20 B 18 / 3.3 Li-lon (01) 71,30 B 22 / 1.6 Li-lon (01) 34,60 B 22 / 2.6 Li-lon (01) 56,20 B 22 / 2.6 Li-lon (02) 56.20 B 22 / 3.0 Li-lon (01) 64.80 B 22 / 3.3 Li-lon (01) 71,30 B 22 / 4.0 Li-lon (01) 86,40 B 36 / 2.6 Li-lon (01) 93.60 B 36 / 2.6 Li-lon (02) 93.60 B 144 / 2.6 Li-lon (01) 37,44 B 22-55 Li-Ion (01) 54,00 B 22-85 Li-Ion (01) 85,32

This product contains a positive electrode (Lithium cobalt oxide (CAS-No. 12190-79-3)), a negative electrode (graphite (CAS-No. 7782-42-5)) and electrolyte (ethylene carbonate(CAS-No. 96-49-1), diethyl carbonate (CAS-No. 105-58-8) and lithium hexafluorophosphate (CAS-No. 21324-40-3)).

The physical form of the product, however, precludes exposure to workers under normal conditions of use.

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH Annex II

B 22-100 Li-lon (01)

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation First-aid measures after skin contact

First-aid measures after eye contact

First-aid measures general

Allow affected person to breathe fresh air. Allow the victim to rest.

97,2

Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

If the electrolyte is leaking out of the battery pack, the following measures have to be taken.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Cool batteries and accumulators with water jet. In case of fire in the surroundings: Use

extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media No additional information available.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Formation of toxic gases is possible during heating or in case of fire.

#### 5.3. Advice for firefighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures No flames, no sparks. Eliminate all sources of ignition. Isolate from fire, if possible, without

unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment Wear protective gloves, protective clothing. Safety goggles, Gas mask.

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take up liquid spill into absorbent material.

Other information Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed Normal use of this product shall imply use in accordance with the instructions on the

packaging and in line with the expectations of a professional user.

Precautions for safe handling Do not soak in water or seawater.

Do not expose to strong oxidizers.

Do not give a strong mechanical shock or fling.

Never disassemble, modify or deform.

Do not connect the positive terminal to the negative terminal with electrically conductive

material.

Use only the chargers / electric tools specified by Hilti to charge or discharge the battery.

Do not throw into fire or expose to high temperatures (>85  $^{\circ}$ C).

Do not connect the positive terminal to the negative terminal with electrically conductive

material.

Hygiene measures Always wash hands after handling the product.



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Avoid direct sunlight, high temperature, high humidity.

Store in a cool place (temperature: -20 °C ~ 40 °C, humidity: 45 - 85%).

Incompatible products Strong bases. Strong acids.
Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature -20 – 40 °C

Information on mixed storage Store away from water.

Do not store together with electrically conductive materials.

The accu-pack should be stored at 30 to 50% of the charging capacity.

Avoid storing in places where it is exposed to static electricity.

Store in a well-ventilated place.

### 7.3. Specific end use(s)

Storage area

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Additional information

No technical measures are necessary during normal use. In case of leakage of substances contained within the cell, the information below may be useful.

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

# 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

# 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

# Appropriate engineering controls:

If the electrolyte is leaking out of the battery pack, the following measures have to be taken.

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

### Personal protective equipment symbol(s):





# 8.2.2.1. Eye and face protection

# Eye protection:

Chemical goggles or safety glasses



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

Hand protection						
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard	
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374	

### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use. No additional information available

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Solid Colour red. Black. Appearance plastic case. Odour odourless. Odour threshold Not available Not available Melting point Freezing point Not available Boiling point Not available Non flammable. Flammability

Explosive properties Risk of explosion by shock, friction, fire or other sources of ignition.

Lower explosion limit Not applicable Upper explosion limit Not applicable Not applicable Flash point Not applicable Auto-ignition temperature Decomposition temperature Not available рΗ Not available pH solution Not available Viscosity, kinematic Not applicable Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50°C Not available Density Not available Relative density Not available Not applicable Relative vapour density at 20°C Particle size Not available Particle size distribution Not available Not available Particle shape Not available Particle aspect ratio Particle specific surface area Not available Particle dustiness Not available



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Water, humidity.

### 10.5. Incompatible materials

Conductive materials, water, seawater, strong oxidizers and strong acids.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

Not classified

Not classified

Not classified

Additional information Based on available data, the classification criteria are not met

Serious eye damage/irritation Not classified

Additional information Based on available data, the classification criteria are not met

Respiratory or skin sensitisation Not classified

Additional information Based on available data, the classification criteria are not met

Germ cell mutagenicity Not classified

Additional information Based on available data, the classification criteria are not met

Carcinogenicity Not classified

Additional information Based on available data, the classification criteria are not met

Reproductive toxicity Not classified

Additional information Based on available data, the classification criteria are not met

STOT-single exposure Not classified

Additional information Based on available data, the classification criteria are not met

STOT-repeated exposure Not classified

Additional information Based on available data, the classification criteria are not met

Aspiration hazard Not classified

Additional information Based on available data, the classification criteria are not met

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

Other information

This product contains an organic electrolyte. If the electrolyte is leaking out of the battery pack, the following effects are known when getting into contact:Irritation: severely irritant to eyes,Irritation: may cause irritation to the respiratory system

When used and handled according to specifications, the product does not have any harmful

effects according to our experience and the information provided to us

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

Not classified

#### 12.2. Persistence and degradability

Li-lon	Batteries	<100	Wh
--------	-----------	------	----

Persistence and degradability

Not established.

### 12.3. Bioaccumulative potential

ı	i-l	on	Ra	tteri	ies	<1	იი	Wh

Bioaccumulative potential Not established.

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information

Do not allow battery packs to penetrate the soil.

The battery cell may corrode and electrolyte may leak.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Refer to

manufacturer/supplier for information on recovery/recycling.

Ecological information Avoid release to the environment.

European List of Waste (LoW, EC 2000/532) 16 06 05 - other batteries and accumulators

20 01 34 - batteries and accumulators other than those mentioned in 20 01 33

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID /

ADR IMDG		IATA	RID		
14.1. UN number or ID number					
UN 3480	UN 3480	UN 3480	UN 3480		



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

ADR	IMDG	IATA	RID			
14.2. UN proper shipping name						
LITHIUM ION BATTERIES	S LITHIUM ION BATTERIES Lithium ion batteries		LITHIUM ION BATTERIES			
Transport document description						
UN 3480 LITHIUM ION UN 3480 LITHIUM ION UN 3480 Lithiu BATTERIES, 9, (E) BATTERIES, 9		UN 3480 Lithium ion batteries, 9	UN 3480 LITHIUM ION BATTERIES, 9			
14.3. Transport hazard class(es)						
9	9	9	9			
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards						
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No			
No supplementary information available						

## 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) M4

Special provisions (ADR) 188, 230, 310, 348, 376, 377, 387, 636

Limited quantities (ADR)

Packing instructions (ADR) P903, P909, P910, P911, LP903, LP904, LP905, LP906

Transport category (ADR) 2
Tunnel restriction code (ADR) E

# Transport by sea

Special provisions (IMDG) 188, 230, 310, 348, 376, 377, 384, 387

Limited quantities (IMDG)

Packing instructions (IMDG) P903, P908, P909 , P910, P911, LP903, LP904, LP905, LP906

EmS-No. (Fire)F-AEmS-No. (Spillage)S-IStowage category (IMDG)AStowage and handling (IMDG)SW19MFAG-No147

### Air transport

PCA packing instructions (IATA) Forbidden
PCA max net quantity (IATA) Forbidden
CAO packing instructions (IATA) See 965

Special provisions (IATA) A88, A99, A154, A164, A183, A201, A213, A331, A334, A802

# Rail transport

Special provisions (RID) 188, 230, 310, 348, \_376, 377, 387, 636

Limited quantities (RID)

Packing instructions (RID) P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906



# **Product Safety Information Sheet**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Not applicable.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Indication of changes					
Section	Changed item	Change	Comments		
1.1	Product name	Added			
3.2	Comments	Added			

SDS EU Hilti